



# Garden Tools POWER SHARED





CHANGZHOU CLEANSPEED TOOLS CO.,LTD

## 7.2V CORDLESS PRODUCTS





BAM







## 3.6V 2-in-1 Cordless Hedge Trimmer & Grass Shear

### L21-003A

Voltage:	3.6V
Motor:	brush motor
No-load speed (rpm) :	1200rpm
Battery capacity:	1300 mAh
Maximum stated cutting diameter:	8.0mm
Cutting width of the scissors:	80mm
Cutting length of the trimmer:	120mm
Blade material	hardened carbon steel
Carton measurement (mm):	385×435×260 ( 6pcs included )
G.W/N.W(Kg):	8.2(6pcs) / 7.2(6pcs)
Pcs. per 20' FCL:	4212
Pcs. per 40' FCL:	8748
Pcs. Per 40' HQ FCL:	9720









## 7.2V 2-in-1 Cordless Hedge Trimmer & Grass Shear

### L21-004A

Voltage:	7.2V
Motor:	brush motor
No-load speed (rpm):	1200rpm
Battery capacity:	1500 mAh
Maximum stated cutting diameter:	8.0mm
Cutting width of the scissors:	80mm
Cutting length of the trimmer:	120mm
Blade material	hardened carbon steel
Carton measurement (mm):	385×435×260 ( 6pcs included )
G.W/N.W(Kg):	8.2(6pcs) / 7.2(6pcs)
Pcs. per 20' FCL:	4212
Pcs. per 40' FCL:	8748
Pcs. Per 40' HQ FCL:	9720





## 20V CORDLESS PRODUCTS





BAM







### 20V 23CM Cordless Grass Trimmer

### L05-001A


No-load speed:	9000rpm
Cutting width:	23cm
Line diameter:	1.6mm round
Line length:	4m
Tilta adjustment:	0°— 180°
Cutting system:	nylon line
Line feed system:	auto feed
Shaft material:	aluminium
Adjustable pole total length:	840mm to 1070mm
Noise level (dB):	96db
Carton measurement (mm):	835×375×215 ( 4pcs included )
G.W/N.W(Kg):	10.6(4pcs) / 9.3(4pcs)
Pcs. per 20' FCL:	1892
Pcs. per 40' FCL:	3828
Pcs. Per 40' HQ FCL:	4176













### 20V 2-in-1 Cordless Hedge Trimmer & Grass Shear

### L21-001A

Voltage:	20V
Motor:	brush motor
No-load speed (rpm):	1200rpm
Maximum stated cutting diameter:	8.0mm
Cutting width of the scissors:	100mm
Cutting length of the trimmer:	200mm
Blade finish	precision ground double-edged
Carton measurement (mm):	385×435×260 ( 6pcs included )
G.W/N.W(Kg):	8.2(6pcs) / 7.2(6pcs)
Pcs. per 20' FCL:	4212
Pcs. per 40' FCL:	8748
Pcs. Per 40' HQ FCL:	9720










### 20V 2-in-1 Cordless Hedge Trimmer & Grass Shear

### L21-001B

Voltage:	20V
Motor:	brush motor
No-load speed (rpm):	1200rpm
Maximum stated cutting diameter:	8.0mm
Cutting width of the scissors:	100mm
Cutting length of the trimmer:	200mm
Blade finish	precision ground double-edged
Carton measurement (mm):	910×280×400 ( 4pcs included )
G.W/N.W(Kg):	10(4pcs) / 9(4pcs)
Pcs. per 20' FCL:	960
Pcs. per 40' FCL:	2080
Pcs. Per 40' HQ FCL:	2340









### 20V 45CM Cordless Hedge Trimmer

### L04-001A

No-load speed:	1250rpm
Blade length :	45cm
Cutting width:	41cm
Tooth distance:	16mm
Maximum stated cutting diameter:	15mm
Noise level (dB):	96db
Carton measurement (mm):	865×260×255 (4pcs included)
G.W/N.W(Kg):	12.3(4pcs)/11.2(4pcs)
Pcs. per 20' FCL:	2088
Pcs. per 40' FCL:	4356
Pcs. Per 40' HQ FCL:	4840













### 20V Cordless Blower

L02-007A

Motor:	brush motor
Voltage:	20V
No load speed:	13000rpm(High)/9000rpm(Low)
Power:	300W
Air speed:	120MPH(High) / 50MPH(Low)
Output wind flow:	110CFM
Carton measurement (mm):	385×335×380 (4pcs included)
G.W/N.W(Kg):	8.2/7.2
Pcs. per 20' FCL:	2520
Pcs. per 40' FCL:	5220
Pcs. Per 40' HQ FCL:	5800
	Voltage: No load speed: Power: Air speed: Output wind flow: Carton measurement (mm): G.W/N.W(Kg): Pcs. per 20' FCL: Pcs. per 40' FCL:













### 20V Cordless Blower

### L02-002A


No-load speed:	15000rpm±500
Power:	300W
Electrical current:	15A
Outlet speed:	80MPH (36.4M/S)
Output wind flow:	250CFM (7.1m³/min)
Discharge time:	2AH: 8 minutes,4AH :16 minutes
Noise level (dB):	96db
Carton measurement (mm):	870×230×190 (2pcs included)
G.W/N.W(Kg):	5.4/4.2
Pcs. per 20' FCL:	1536
Pcs. per 40' FCL:	3216
Pcs. Per 40' HQ FCL:	3752













### 20V Cordless Chain Saw

### L07-001A

Rated Vol:	20V
Gearbox:	metal gear
Chain speed:	6m/s
Chain length:	12" bar and chain
Oil tank capacity:	270 ml (incl. oil window)
G.W/N.W(Kg):	11/8.8
Pcs. per 20' FCL:	1062
Pcs. per 40' FCL:	2214
Pcs. Per 40' HQ FCL:	2460










11






### 20V Cordiess Pole Saw

### L12-001A

Voltage:	20V
Motor:	brush motor
Chain speed:	4.5m/s
Cutting diameter:	200mm(8")
Oil Tank capacity:	60ml
Material of telescopic tube:	glass fiber
Max length	2.5 m
Min length	1.7 m
Carton measurement (mm):	1286×225×108 ( 2pcs included )
G.W/N.W(Kg):	8(2pcs) / 7(2pcs)
Pcs. per 20' FCL:	1892
Pcs. per 40' FCL:	4004
Pcs. Per 40' HQ FCL:	4368










### 20V Cordless Pole Hedge Trimmer

L11-001A

Voltage:	20V
Motor:	brush motor
No-load speed (rpm):	1250rpm
Maximum stated cutting diameter:	15mm
Blade length:	45cm
Blade material:	hardened carbon steel
Cutting length	41cm
Max length	2.5 m
Min length	1.7 m
Carton measurement (mm):	1286×225×108 ( 2pcs included )
G.W/N.W(Kg):	8(2pcs) / 7(2pcs)
Pcs. per 20' FCL:	1892
Pcs. per 40' FCL:	4004
Pcs. Per 40' HQ FCL:	4368









### 20V 32CM Cordless Lawn Mower

### L01-001B

No-load speed:	3400rpm
Height adjustment:	30-50-70mm with 3 position, single
Cutting width:	32cm
Drive type:	hand push
Wheel:	front 140mm & rear 140mm
Grass box:	all plastic (30L)
Noise level (dB):	96db
Carton measurement (mm):	570×395×300
G.W/N.W(Kg):	7.7/6.6
Pcs. per 20' FCL:	399
Pcs. per 40' FCL:	854
Pcs. Per 40' HQ FCL:	976













### 20V 33CM Cordless Lawn Mower

### L01-002A

No-load speed:	3400rpm
Height adjustment:	30-50-70mm with 3 position, single
Cutting width:	33cm
Drive type:	hand push
Wheel:	front 140mm & rear 140mm
Grass box:	all plastic (30L)
Noise level (dB):	96db
Carton measurement (mm):	570×395×300
G.W/N.W(Kg):	7.7/6.6
Pcs. per 20' FCL:	399
Pcs. per 40' FCL:	854
Pcs. Per 40' HQ FCL:	976













### 20V 32CM Cordless Lawn Mower

### L01-003B

No-load speed:	2800-3400rpm
Height adjustment:	30-50-70mm with 3 position, single
Cutting width:	32cm
Drive type:	hand push
Wheel:	front 140mm & rear 140mm
Grass box:	all plastic (30L)
Noise level (dB):	96db
Carton measurement (mm):	570×395×300
G.W/N.W(Kg):	7.7/6.6
Pcs. per 20' FCL:	399
Pcs. per 40' FCL:	854
Pcs. Per 40' HQ FCL:	976













### 20V 33CM Cordless Lawn Mower

### L01-004A

No-load speed:	3400rpm
Height adjustment:	30-50-70mm with 3 position, single
Cutting width:	33cm
Drive type:	hand push
Wheel:	front 140mm & rear 140mm
Grass box:	all plastic (30L)
Noise level (dB):	96db
Carton measurement (mm):	570×395×300
G.W/N.W(Kg):	7.7/6.5
Pcs. per 20' FCL:	399
Pcs. per 40' FCL:	854
Pcs. Per 40' HQ FCL:	976









## 40V CORDLESS PRODUCTS





BAM







## 40V(20Vx2) Cordless Axial Flow Blower

### L02-005A

No-load speed:	14000/16000/18000/20000rpm
Power:	1000W
Voltage:	40V (20Vx2)
Wind speed (m/s):	33.5/38.5/42.5/45.5 M/S
Wind volume(cfm):	220/250/280/320 cfm
Noise level (dB):	102db
Carton measurement (mm):	500×452×552 (4pcs included)
G.W/N.W(Kg):	5/3.8
Pcs. per 20' FCL:	756
Pcs. per 40' FCL:	1596
Pcs. Per 40' HQ FCL:	1862











## 40V(20Vx2) Cordless Brush Cutter & Grass Trimmer 2 in 1


### L05-004A

Voltage:	40V (20Vx2)
Rated power:	650W
No-load speed (rpm):	5000rpm(Low)/6500rpm(High)
Grass trimmer cutting width:	400mm
Cutting line diameter:	2.0mm
Brush cutter cutting width:	255mm
Blade thickness:	2.0mm
Noise level (dB):	96db
Carton measurement (mm):	970*225*270 ( 2pcs included )
G.W/N.W(Kg):	7(2pcs) / 5.2(2pcs)
Pcs. per 20' FCL:	944
Pcs. per 40' FCL:	2000
Pcs. Per 40' HQ FCL:	2240











### 40V(20Vx2) 32CM Cordless Lawn Mower

### L01-005B-1

	No-load speed:	2800-3400rpm
	Height adjustment:	30-70mm with 5 position, central
	Cutting width:	32cm
	Drive type:	hand push
	Wheel:	front 140mm & rear 140mm
	Grass box:	all plastic (30L)
	Noise level (dB):	96db
	Carton measurement (mm):	570×395×320
	G.W/N.W(Kg):	8.3/7.2
	Pcs. per 20' FCL:	399
	Pcs. per 40' FCL:	854
	Pcs. Per 40' HQ FCL:	976













### 40V(20Vx2) 33CM Cordless Lawn Mower

### L01-006A-1

No-load speed:	2800-3400rpm
Height adjustment:	30-70mm with 5 position, central
Cutting width:	33cm
Drive type:	hand push
Wheel:	front 140mm & rear 140mm
Grass box:	all plastic (30L)
Noise level (dB):	96db
Carton measurement (mm):	570×395×320
G.W/N.W(Kg):	8.3/7.2
Pcs. per 20' FCL:	399
Pcs. per 40' FCL:	854
Pcs. Per 40' HQ FCL:	976













### 40V 32CM Cordless Lawn Mower

### LIL21009-1

	No-load speed:	3300rpm
	Height adjustment:	20-38-56mm with 3 position, single
	Cutting width:	32cm
	Drive type:	hand push
	Wheel:	front 140mm & rear 140mm
	Grass box:	all plastic (30L)
	Noise level (dB):	96db
	Carton measurement (mm):	580×410×330
	G.W/N.W(Kg):	11.2/9.3
	Pcs. per 20' FCL:	392
	Pcs. per 40' FCL:	812
	Pcs. Per 40' HQ FCL:	928











### 40V(20Vx2) 38CM Cordless Lawn Mower

### L01-007B

No-load	speed:	2800-3400rpm	
Height a	djustment:	30-75mm with 5 positi	on, central
Cutting v	vidth:	38cm	
Drive typ	e:	hand push	
Wheel:		front 140mm & rear 17	78mm
Grass ba	ag:	plastic top + fabric (	42L)
Noise le	vel (dB):	96db	
Carton n	neasurement (mm):	675×410×330	
G.W/N.V	V(Kg):	13/11.5	
Pcs. per	20' FCL:	287	
Pcs. per	40' FCL:	609	
Pcs. Per	40' HQ FCL:	696	













### 40V(20Vx2) 43CM Cordless Lawn Mower

#### L01-008B

No-load speed:	2800-3400rpm
Height adjustment:	30-75mm with 5 position, central
Cutting width:	43cm
Drive type:	hand push
Wheel:	front 178mm & rear 235mm
Grass bag:	plastic top + fabric (52L)
Noise level (dB):	96db
Carton measurement (mm):	790×510×370
G.W/N.W(Kg):	14.5/12.5
Pcs. per 20' FCL:	192
Pcs. per 40' FCL:	408
Pcs. Per 40' HQ FCL:	476













### 

### L01-010A

Voltage:	40V(20Vx2)
No-load speed:	2800-3200rpm
Height adjustment:	25-75mm with 8 position, central
Cutting width:	46cm
Drive type:	hand push
Wheel:	front 178mm & rear 250mm
Grass bag:	65L
Noise level (dB):	96db

Carton measurement (mm):	775*560*430
G.W/N.W(Kg):	22/20
Pcs. per 20' FCL:	150
Pcs. per 40' FCL:	315
Pcs. Per 40' HQ FCL:	378













### 40V(20Vx2) 46CM Cordless Self-Propelled Lawn Mower

L01-010B

Voltage:	40V(20Vx2)
No-load speed:	2800-3200rpm
Height adjustment:	25-75mm with 8 position, central
Cutting width:	46CM
Drive type:	self-propelled
Wheel:	front 178mm & rear 250mm
Grass bag:	65L
Noise level (dB):	96db

Carton measurement (mm):	775*560 *430
G.W/N.W(Kg):	22/20
Pcs. per 20' FCL:	150
Pcs. per 40' FCL:	315
Pcs. Per 40' HQ FCL:	378













### 40V(20Vx2) 51CM Cordless Lawn Mower -

### L01-011A

	Voltage:	40V(20Vx2)
	No-load speed:	2800-3200rpm
	Height adjustment:	25-75mm with 8 position, central
	Cutting width:	51cm
	Drive type:	Hand push
	Wheel:	front 178mm & rear 250mm
	Grass bag:	65L
	Noise level (dB): Insert 4pcs batteries at the same	96db e time , each 2 pcs batteries in a

Carton measurement (mm):	825*570*430
G.W/N.W(Kg):	18.5/20.5
Pcs. per 20' FCL:	140
Pcs. per 40' FCL:	280
Pcs. Per 40' HQ FCL:	336













### 40V(20Vx2) 51CM Cordless Self-Propelled Lawn Mower

L01-011B

Voltage:	40V(20Vx2)
No-load speed:	2800-3200rpm
Height adjustment:	25-75mm with 8 position, central
Cutting width:	51CM
Drive type:	self-propelled
Wheel:	front 178mm & rear 250mm
Grass bag:	65L
Noise level (dB):	96db


Carton measurement (mm):	825*570*430
G.W/N.W(Kg):	23/21
Pcs. per 20' FCL:	140
Pcs. per 40' FCL:	280
Pcs. Per 40' HQ FCL:	336















### 40V(20Vx2) 37CM Cordless Scarifier and Aerator and Sweeper 3-in-1

Suitable for three options







#### L03-002A

No-load speed:	3600rpm
Height adjustment:	-3-6-9-12+10mm with 5 position, central
Cutting width:	37cm
Drive type:	hand push
Wheel:	front 200mm & rear 165mm
Grass bag:	all fabric (45L)
Noise level (dB):	99db
Carton measurement (mm):	640×540×300
G.W/N.W(Kg):	12.2/10.2
Pcs. per 20' FCL:	238
Pcs. per 40' FCL:	525
Pcs. Per 40' HQ FCL:	600













### 40V(20Vx2) Cordless Leaf and Lawn Collector

### L19-001A

Rated Vol:	40V (20Vx2)
Motor:	brush motor
Variable speed:	320-450rpm
Sweeper width:	560mm
Adjustment range:	0-40 mm
Wheel size:	250 mm
Collection bag capacity:	100L
Carton measurement (mm):	600×490×300
G.W/N.W(Kg):	13/10.9
Pcs. per 20' FCL:	294
Pcs. per 40' FCL:	637
Pcs. Per 40' HQ FCL:	728













40V(20Vx2) - Cordless Sweeper

### L18-001A

Rated Vol:	40V (20Vx2)
Disk brush working speed:	200rpm
Cylinderical brush working speed:	500rpm
Sweeper width:	680mm
Disk brush diameter:	270mm X 2 pcs
Rear wheel:	200mm PVC rubberised wheel
Front caster wheel:	50mm PVC rubberised wheel
Waste container capacity:	24L
Carton measurement (mm):	630×550×290
G.W/N.W(Kg):	12.5/11
Pcs. per 20' FCL:	296
Pcs. per 40' FCL:	616
Pcs. Per 40' HQ FCL:	693











CHANGZHOU CLEANSPEED TOOLS CO.,LTD

Ω Jason

+86 18052508899

wangbo@cleanspeedtools.com

GARDENING
TOOLS